

...G24F 2 Gaming Monitor...

Panel Size (diagonal)	23.8"SS IPS
Display Viewing Area (HxV)	527.04x296.46 mm
Panel Backlight/ Type	Edge
Display Surface(non-glare/ glare)	Non-glare
Color Saturation	95% DCI-P3, 125% sRGB
True Resolution	1920 x 1080(FHD)
Pixel Pitch	0.2745(H) x 0.2745(V) mm
Brightness	300 cd/m2(TYP)
Contrast Ratio	1100:1
Viewing Angle	178°(H)/178°(V)
Display Colors	16.7M
Response Time	1ms MPRT
Refresh Rate	165Hz/OC 180Hz
HDR	HDR ready
Flicker-free	Yes
HBR3	No
Connectivity	2 x HDMI 2.0 1 x Displayport 1.2 (capable for HDR) 2 x USB 3.2 Gen 1 Downstream ports 1 x USB 3.2 Gen 1 Upstream port 1 x Earphone Jack
Speaker	N/A

Unique Features	OSD Sidekick** Aim Stabilizer Black Equalizer Dashboard Crosshair Timer Counter Auto-Update Smart OD
Power Type	Power Board Build-in
Power Consumption	17.5W*
Power Saving Mode	0.5W
Power Off Mode	0.3W
Voltage	100~240Vac
Tilt(angle)	-5°~+20°
Swivel(angle)	N/A
Pivot(angle/direction)	N/A
Height Adjustment (mm)	130 mm
VESA Wall Mounting(mm)	100*100 mm
Kensington lock	Yes
Phys. Dimension with Stand(WxHxD)	541*519.3*136.75 mm
Phys. Dimension w/o stand (WxHxD)	541*326.4*53.4 mm
Box Dimension (WxHxD)	755(W)*470(H)*148(D) mm
Net Weight with stand (Esti.)	4.8 kg
Net Weight without stand (Esti.)	3.2 kg

Gross Weight (Esti.) 7.83 kg

Accessories Power cable/HDMI cable/USB cable/QSG
/Warranty card

Note *The test condition follows CEC standards.
** To enable OSD Sidekick, it requires connection
between PC and monitor with USB (A-Male to
B-Male) cable.
