

# ...G24F Gaming Monitor...

Type	Flat
Panel Size (diagonal)	23.8" SS IPS
Display Viewing Area (HxV)	527.04*296.46 (mm)
Panel Backlight/ Type	Edge type
Display Surface(non-glare/ glare)	Non-glare type
Color Saturation	90% DCI-P3/120% sRGB
True Resolution	1920 x 1080 (FHD)
Pixel Pitch	0.2745 (H) x 0.2745 (V) (mm)
Brightness	300 cd/m2 (TYP)
Contrast Ratio	1000 : 1
Viewing Angle	178°(H)/178°(V)
Display Colors	8 bits
Response Time	1ms (MPRT) / 2ms (GTG)
Refresh Rate	165Hz/OC 170Hz
Flicker-free	Yes
Connectivity	HDMI 2.0 x2, Display port 1.2 x1 (capable for HDR)
Earphone Jack	Yes
Speaker	N/A
Unique Features	OSD Sidekick * Aim Stabilizer Black Equalizer Dashboard Crosshair

	Timer Counter Auto-Update Smart OD
<b>USB port(s)</b>	USB 3.0*2
<b>Power Type</b>	Build-in
<b>AC Input Max</b>	48W
<b>Power Saving Mode</b>	< 0.5W
<b>Power Off Mode</b>	< 0.3W
<b>Voltage</b>	AC 100V~240V /50~60Hz
<b>Tilt(angle)</b>	-5°~+20°
<b>Pivot(angle/direction)</b>	N/A
<b>Height Adjustment (mm)</b>	130mm
<b>VESA Wall Mounting(mm)</b>	100*100mm
<b>Kensington lock</b>	Yes
<b>Phys. Dimension with Stand(WxHxD)</b>	541*519.3*136.75
<b>Phys. Dimension w/o stand (WxHxD)</b>	541*326.4*53.4
<b>Box Dimension (WxHxD)</b>	755*470*148
<b>Net Weight with stand (Esti.)</b>	5.3
<b>Net Weight without stand (Esti.)</b>	3.6
<b>Gross Weight (Esti.)</b>	8.23
<b>Accessories</b>	Power cable/HDMI cable/DP cable/USB cable/QSG/Warranty card

**Note**

\* To enable OSD Sidekick, it requires connection between PC and monitor with USB (A-Male to B-Male) cable.

---