

...G27F 2 Gaming Monitor...

Panel Size (diagonal)	27"SS IPS
Display Viewing Area (HxV)	597.736 x335.664 mm
Panel Backlight/ Type	Edge
Display Surface(non-glare/ glare)	Non-glare
Color Saturation	95% DCI-P3, 130% sRGB
True Resolution	1920 x 1080(FHD)
Pixel Pitch	0.3108(H) x 0.3108(V) mm
Brightness	400 cd/m2(TYP)
Contrast Ratio	1000:1
Viewing Angle	178°(H)/178°(V)
Display Colors	16.7M
Response Time	1ms MPRT
Refresh Rate	165Hz/OC 170Hz
HDR	HDR ready
Flicker-free	Yes
HBR3	No
Connectivity	2 x HDMI 2.0 1 x Displayport 1.2 (capable for HDR) 2 x USB 3.2 Gen 1 Downstream ports 1 x USB 3.2 Gen 1 Upstream port 1 x Earphone Jack
Unique Features	OSD Sidekick ** Aim Stabilizer Black Equalizer

Dashboard
Crosshair
Timer
Counter
Auto-Update
Smart OD

Power Type	Adapter
Power Consumption	21W*
Power Saving Mode	0.5W
Power Off Mode	0.3W
Voltage	19VDC 3.42A
Tilt(angle)	-5°~+20°
Swivel(angle)	N/A
Pivot(angle/direction)	N/A
Height Adjustment (mm)	130 mm
VESA Wall Mounting(mm)	100*100 mm
Kensington lock	Yes
Phys. Dimension with Stand(WxHxD)	615.11*535.66*193.63 mm
Phys. Dimension w/o stand (WxHxD)	615.11*367.35*42.21 mm
Box Dimension (WxHxD)	720*470*200 mm
Net Weight with stand (Esti.)	5.2 kg
Net Weight without stand (Esti.)	3.5 kg
Gross Weight (Esti.)	7.8 kg

Accessories	Power cable/HDMI cable/USB cable/QSG /Warranty card
Note	*The test condition follows CEC standards. ** To enable OSD Sidekick, it requires connection between PC and monitor with USB (A-Male to B-Male) cable.