

Series Name

Series Name

QM32R-B

Display

Screen Size ?

32"

Resolution ?

FHD (1920 x 1080)

Contrast Ratio (Typical)

5000:1

Viewing Angle (H/V)

178/178

Operation Hours

24/7

Connectivity

Input

RGB: Display Port 1.2 (1)

VIDEO: HDMI 2.0 (2)

HDCP: HDCP2.2

AUDIO: Stereo Mini Jack, HDMI/Audio (Common)

USB: USB 2.0 x 2

External Control

RS232C (In/Out) Thru Stereo Jack, RJ45

Power

Power Supply

AC 100 - 240 V, 50/60 Hz

Power Consumption (Standby)

0.5

Environmental Conditions

Operating Temperature ?

0°C~ 40°C

Features

Key

FHD Signage Display, Slim & Light Signage with Built-in

MagicInfo S6, SSSP 6.0

SMART Signage Platform

Panel Technology

Edge LED BLU

Brightness

400 nits

Contrast Ratio (Dynamic)

MEGA

Response Time ?

8ms(Typ.)

Output

AUDIO: Stereo Mini Jack

Sensor

IR

Power Consumption (Typical/Max)

44

Operating Humidity

10~80%

Special

HARDWARE: Temperature Sensor, Pivot Display, Clock Battery (168hrs Clock Keeping), Built-in Speaker(10W 2ch), IP5x Rating, Wi-Fi

SOFTWARE: Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot Key Option, Plug&Play (Initial Setting)

24/7 Operation

Yes

Wi-Fi ?

Yes

Storage

8GB

Built-in Speakers

Yes

System On Chip

Yes

Internal Player

Processor

Cortex A72 1.7GHz Quad-Core CPU

Clock Speed

1.7GHz

Graphics

Graphic Resolution: 1920x1080

Output Resolution : 1920x1080 (Scale Up from Graphic Processing Result)

Multimedia

Video Decoder: MPEG-1/2/4, H.263, H.264/AVC, UHD

H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9

Audio Decoder : AC3 (DD), MPEG

Operating System

Tizen 4.0 (VDLinux)

Dimensions

Without Stand (W x H x D)

725.1 x 419.6 x 34.6

Bezel Width

8.8mm (U/L/R/B)

Weight

Product Weight

5.7 lbs

Accessories

Included in Box

Quick Setup Guide, Warranty Card, Power Cord, Remote Controller, Batteries

Optional Stand

STN-L3240E

Yes

Speaker Type ?

Built-in Speaker

Built-in WiFi

Yes

Cisco Certified

Yes

On-Chip Cache Memory

L1 Instruction Cache : 48KB

L1 Data Cache : 32KB

L2 Cache : 2MB

Main Memory Interface

2.5GB

LPDDR4 1.5GHz 64bit

Storage

8GB

(3.88GB Occupied by O/S, 4.12GB Available)

IO Ports

USB 2.0

Packaging (W x H x D)

812 x 513 x 120

Package Weight

8 lbs

Optional Wall Mount Kit

WMN4070SE (Land Only)

WMN750ME

Specialty

CML400XK

Green Management

ENERGY STAR[®] Certified

ENERGY STAR 8.0

Mechanical Specs

VESA Mount

200 X 200

Media Player Option Type

Foot Stand (Optional)