# Display

**Diagonal Size** 

32"

Panel Type

New Edge, 60Hz

Resolution

1,920 x 1,080

Pixel Pitch (HxV, mm)

0.36375 x 0.36375 (mm)

**Brightness (Typical)** 

400(without glass), 300(with glass)

**Contrast Ratio** 

5000:1(without glass)

Viewing Angle (H/V)

178/178

**Response Time** 

8ms

**Color Gamut** 

72%

**Glass Haze** 

2% (without Glass)

H-Scanning Frequency

30 ~ 81kHZ

**Maximum Pixel Frequency** 

594MHz

## V-Scanning Frequency

48 ~ 75HZ

## **Dynamic Contrast Ratio**

Mega DCR

Connectivity

**HDMI In** 

2

DP In

Yes

DVI In

N/A

Tuner In

N/A

USB

2

Component In

N/A

Composite In

N/A

RGB In

N/A

IR In

Yes

HDBaseT In

No

Audio In

No

**Audio Out** 

Stereo Mini Jack

Video Out

Yes

**Power Out** 

N/A

**RS232 In** 

Yes

RS232 Out

Yes

RJ45 In

Yes

**RJ45 Out** 

No

WiFi

Yes

3G Dongle

No

#### Bluetooth

Yes

Power

**Power Supply** 

AC100-240V 50/60Hz

Power Consumption (On Mode, W)

72

Power Consumption (Off Mode, W)

N/A

Power Consumption (Sleep Mode,

W)

0.5 W

**Dimension** 

Set Dimension (WxHxD, mm)

744.4 x 444.6 x 48.2 mm

Package Dimension (WxHxD, mm)

872 x 565 x 133 mm

Weight

Set Weight

8.3 kg

**Package Weight** 

11.1 kg

Operation Conditions

**Temperature** 

0°C~ 40°C

Humidity

10 ~ 80%, non-condensing

Mechanical Specification **VESA Mount (mm)** 

200 x 200 mm

Bezel Width (mm)

24.5(U/D), 21.5(L/R)

Frame Material

Non-Glossy

**General Feature** 

**External Memory Slot** 

N/A

Optional Feature

Touch

Yes

Mount

WMN4070SE

#### Stand

STN-L3240F

# Internal Player (MagicInfo)

MagicInfo Daisychain Videowall Support

Yes

Eco

**Energy Efficiency Class** 

N/A

Touch

Touch Technology

Capative

Certification and Compliance

EMC

Class B

Safety

60950-1